

Safety Data Sheet According to Regulation (EC) No 1907/2006

Carefree Speed Stripper

Revision: 2015-05-29 Version: 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Carefree Speed Stripper

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only.

AISE-P404 - Floor stripper. Manual process

AISE-P405 - Floor stripper. Semi-automatic process

Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: MSDSinfoUK@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled in accordance with Regulation (EC) No 1272/2008.

Skin Corr. 1B (H314)

Indication of danger

C - Corrosive

Risk phrases:

R34 - Causes burns.

2.2 Label elements



Signal word: Danger.

Contains sodium hydroxide (Sodium Hydroxide).

Hazard statements:

H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Classification (1999/45/EC) | Notes | Weight percent |
|-------------------------|-----------|------------|------------------|--|---------------------------------|-------|----------------|
| 2-butoxyethanol | 203-905-0 | 111-76-2 | 01-2119475108-36 | Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H332) | Xn;R20/21/22 Xi;R36/38 | | 10-20 |
| 2-aminoethanol | 205-483-3 | 141-43-5 | 01-2119486455-28 | Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1B (H314) Acute Tox. 4 (H332) STOT SE 3 (H335) Aquatic Chronic 3 (H412) | Xn;R20/21/22 C;R34 Xi;R37 | | 3-10 |
| sodium cumenesulphonate | 239-854-6 | 15763-76-5 | 01-2119489411-37 | Eye Irrit. 2 (H319) | Xi;R36 | | 3-10 |
| sodium hydroxide | 215-185-5 | 1310-73-2 | 01-2119457892-27 | Met. Corr. 1 (H290) Skin Corr. 1A (H314) | C;R35 | | 1-3 |

^{*} Polymer

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.
[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off

immediately all contaminated clothing and wash it before re-use. Immediately call a POISON

CENTRE, doctor or physician.

Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, Eye contact:

if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or

physician.

Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest. Ingestion:

Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

No known effects or symptoms in normal use. Inhalation:

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | UK - Long term value(s) | UK - Short term value(s) |
|------------------|----------------------------|--------------------------------|
| 2-butoxyethanol | 25 ppm 123 mg/m³ | 50 ppm 246 mg/m³ |
| 2-aminoethanol | 1 ppm 2.5 mg/m³ | 3 ppm 7.6 mg/m ³ |
| sodium hydroxide | | 2 mg/m ³ |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw

| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|---------------------------------------|--------------------|-----------------------|-------------------|----------------------|
| , , , , , , , , , , , , , , , , , , , | effects | effects | effects | effects |
| 2-butoxyethanol | - | 13.4 | - | 3.2 |
| 2-aminoethanol | - | - | - | 3.75 |
| sodium cumenesulphonate | No data available | No data available | No data available | No data available |
| sodium hydroxide | - | - | - | - |

DNEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-------------------------|----------------------------|--|---------------------------|---|
| 2-butoxyethanol | No data available | 89 | No data available | 75 |
| 2-aminoethanol | No data available | - | No data available | 1 |
| sodium cumenesulphonate | No data available | No data available | No data available | No data available |
| sodium hydroxide | 2 % | - | No data available | - |

DNEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|-----------------|----------------------------|--|---------------------------|---|
| 2-butoxyethanol | No data available | 44.5 | No data available | 38 |
| 2-aminoethanol | No data available | - | No data available | 0.24 |

| sodium cumenesulphonate | No data available | No data available | No data available | No data available |
|-------------------------|-------------------|-------------------|-------------------|-------------------|
| sodium hydroxide | 2 % | - | No data available | - |

DNEL inhalatory exposure - Worker (mg/m3)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| 2-butoxyethanol | 246 | 663 | - | 98 |
| 2-aminoethanol | - | - | 3.3 | 3.3 |
| sodium cumenesulphonate | No data available | No data available | No data available | No data available |
| sodium hydroxide | - | - | 1 | - |

DNEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|-------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| 2-butoxyethanol | 123 | 426 | - | 49 |
| 2-aminoethanol | - | - | 2 | 2 |
| sodium cumenesulphonate | No data available | No data available | No data available | No data available |
| sodium hydroxide | - | - | 1 | - |

Environmental exposure

Environmental exposure - PNE

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|-------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| 2-butoxyethanol | 8.8 | 0.88 | 9.1 | 463 |
| 2-aminoethanol | 0.085 | 0.0085 | 0.025 | 100 |
| sodium cumenesulphonate | No data available | No data available | No data available | No data available |
| sodium hydroxide | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|-------------------------|------------------------------|-----------------------------|-------------------|-------------------|
| 2-butoxyethanol | 34.6 | 3.46 | 3.13 | - |
| 2-aminoethanol | 0.425 | 0.0425 | 0.035 | 0.025 |
| sodium cumenesulphonate | No data available | No data available | No data available | No data available |
| sodium hydroxide | - | - | - | = |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Hand protection:

Safety glasses or goggles (EN 166).

Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves

supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 25

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions. **Hand protection:**Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves

supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection:No special requirements under normal use conditions.
Respiratory protection:
No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid Colour: Clear, Pale, Yellow Odour: Slightly perfumed Odour threshold: Not applicable

pH: > 12 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

| Ingredient(s) | Value | Method | Atmospheric pressure |
|-------------------------|-------------------|------------------|----------------------|
| | (°C) | | (hPa) |
| 2-butoxyethanol | 168-172 | Method not given | 1013 |
| 2-aminoethanol | 169-171 | Method not given | 1013 |
| sodium cumenesulphonate | No data available | | |
| sodium hydroxide | > 990 | Method not given | |

Method / remark

Flash point (°C): Not applicable.

Sustained combustion: Not determined

Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

| Ingredient(s) | Lower limit (% vol) | Upper limit (% vol) |
|-----------------|------------------------|------------------------|
| 2-butoxyethanol | 1.1 | 10.6 |
| 2-aminoethanol | 3.4 | 27 |

Method / remark

Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|-----------------|---------------|------------------|---------------------|
| 2-butoxyethanol | 89 | Method not given | 20 |
| 2-aminoethanol | 50 | Method not given | 20 |

| sodium cumenesulphonate | No data available | | |
|-------------------------|-------------------|------------------|----|
| sodium hydroxide | < 1330 | Method not given | 20 |

Method / remark

Vapour density: Not determined Relative density: 1.04 g/cm³ (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|-------------------------|----------------|------------------|---------------------|
| 2-butoxyethanol | Soluble | Method not given | 20 |
| 2-aminoethanol | 1000 | Method not given | 20 |
| sodium cumenesulphonate | 493 Soluble | Method not given | 20 |
| sodium hydroxide | 1000 | Method not given | 20 |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not determined

Viscosity: Not determined

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising

9.2 Other information

Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Weight of evidence

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

Substance data, where relevant and available, are listed below.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|-------------------------|----------|----------------------|---------|-------------------|-------------------|
| 2-butoxyethanol | LD 50 | 1746 | Rat | Method not given | - |
| 2-aminoethanol | LD 50 | 1515 | Rat | OECD 401 (EU B.1) | - |
| sodium cumenesulphonate | LD 50 | > 7000 | Rat | Method not given | |
| sodium hydroxide | | No data available | | | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
|---------------|----------|---------|---------|--------|----------|
| | | (mg/kg) | | | time (h) |

| 2-butoxyethanol | LD 50 | 6411 | | Method not given | - |
|-------------------------|-------|----------------------|--------|------------------|---|
| 2-aminoethanol | LD 50 | 1025 | Rabbit | Method not given | - |
| sodium cumenesulphonate | LD 50 | > 2000 | Rabbit | Method not given | |
| sodium hydroxide | | No data available | | | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------|----------|-----------------------|---------|--------------------|-------------------|
| 2-butoxyethanol | LC 50 | > 2 (mist) | Rat | Method not given | 4 |
| 2-aminoethanol | | No mortality observed | Rat | Non guideline test | 6 |
| sodium cumenesulphonate | | No data available | | | |
| sodium hydroxide | | No data available | | | |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------|--------------|---------|-------------------|---------------|
| 2-butoxyethanol | Irritant | Rabbit | Method not given | |
| 2-aminoethanol | Corrosive | Rabbit | OECD 404 (EU B.4) | |
| sodium cumenesulphonate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------|---------------|---------|-------------------|---------------|
| 2-butoxyethanol | Irritant | Rabbit | OECD 405 (EU B.5) | |
| 2-aminoethanol | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| sodium cumenesulphonate | Irritant | Rabbit | OECD 405 (EU B.5) | |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------|---------------------------------|---------|------------------|---------------|
| 2-butoxyethanol | No data available | | | |
| 2-aminoethanol | Irritating to respiratory tract | | Method not given | |
| sodium cumenesulphonate | No data available | | | |
| sodium hydroxide | No data available | | | |

Sensitisation

| Sensitisation by skin contact | | | | |
|-------------------------------|-----------------|------------|-----------------------------|-------------------|
| Ingredient(s) | Result | Species | Method | Exposure time (h) |
| 2-butoxyethanol | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | - |
| 2-aminoethanol | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | - |
| sodium cumenesulphonate | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| sodium hydroxide | Not sensitising | | Human repeated patch test | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|-------------------------|-------------------|---------|--------|---------------|
| 2-butoxyethanol | No data available | | | - |
| 2-aminoethanol | No data available | | | - |
| sodium cumenesulphonate | No data available | | | |
| sodium hydroxide | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|-------------------------|---|--|---|---|
| 2-butoxyethanol | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | |
| 2-aminoethanol | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma) | test results | OECD 474 (EU B.12) |
| sodium cumenesulphonate | No evidence for mutagenicity, negative test results | 1 | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |
| sodium hydroxide | No evidence for mutagenicity, negative test results | | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) OECD 475 (EU B.11) |

Carcinogenicity

| Ingredient(s) | Effect |
|-------------------------|--|
| 2-butoxyethanol | No evidence for carcinogenicity, negative test results |
| 2-aminoethanol | No evidence for carcinogenicity, weight-of-evidence |
| sodium cumenesulphonate | No evidence for carcinogenicity, negative test results |
| sodium hydroxide | No evidence for carcinogenicity, weight-of-evidence |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|-------------------------|----------|------------------------|-----------------------|---------|--------------------------------|---------------|--|
| 2-butoxyethanol | | | No data available | | | | |
| 2-aminoethanol | NOAEL | Developmental toxicity | > 75 | Rabbit | OECD 414 (EU B.31), oral | , , | No evidence for developmental toxicity No evidence for reproductive toxicity |
| sodium cumenesulphonate | NOAEL | Teratogenic effects | > 936 | Rat | Non guideline test | | |
| sodium hydroxide | | | No data available | | | | No evidence for developmental toxicity No evidence for reproductive toxicity |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------|----------|-----------------------|---------|-----------------------|----------------------|--------------------------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | NOAEL | 300 | Rat | | 75 | |
| sodium cumenesulphonate | NOAEL | 763 | Rat | OECD 408 (EU B.26) | | |
| sodium hydroxide | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | | |
| sodium hydroxide | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|-------------------------|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | | |
| sodium hydroxide | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure | Endpoint | Value | Species | Method | Exposure | Specific effects and | Remark |
|------------------|----------|----------|--------------|---------|--------|----------|----------------------|--------|
| 3 (., | route | | (mg/kg bw/d) | | | time | organs affected | |
| 2-butoxyethanol | | | No data | | | | | |
| | | | available | | | | | |
| 2-aminoethanol | | | No data | | | | | |
| | | | available | | | | | |
| sodium | | | No data | | | | | |
| cumenesulphonate | | | available | | | | | |
| sodium hydroxide | | | No data | | | | | |
| - | | | available | | | | | |

STOT-single exposure

| s re remigio expeciare | | | | | |
|-------------------------|-------------------|--|--|--|--|
| Ingredient(s) | Affected organ(s) | | | | |
| 2-butoxyethanol | No data available | | | | |
| 2-aminoethanol | No data available | | | | |
| sodium cumenesulphonate | No data available | | | | |
| sodium hydroxide | No data available | | | | |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|-----------------|-------------------|
| 2-butoxyethanol | No data available |
| 2-aminoethanol | No data available |

| Ī | sodium cumenesulphonate | No data available |
|---|-------------------------|-------------------|
| | sodium hydroxide | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------|----------|-----------------|--------------------|--------------------|-------------------|
| 2-butoxyethanol | LC 50 | > 100 | Fish | Method not given | 96 |
| 2-aminoethanol | LC 50 | 349 | Cyprinus carpio | (EC) 440/2008, C.1 | 96 |
| sodium cumenesulphonate | LC 50 | > 1000 | Fish | EPA-OPPTS | 96 |
| sodium hydroxide | LC 50 | 35 | Various species | Method not given | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------|----------|-----------------|-------------------------|------------------|-------------------|
| 2-butoxyethanol | EC 50 | > 100 | Daphnia magna Straus | Method not given | 24 |
| 2-aminoethanol | EC 50 | 65 | Daphnia magna Straus | OECD 202, static | 48 |
| sodium cumenesulphonate | EC 50 | > 100 | Daphnia magna Straus | OECD 202 | 48 |
| sodium hydroxide | EC 50 | 40.4 | Ceriodaphnia sp. | Method not given | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|-------------------------|----------|-----------------|--|------------------|-------------------|
| 2-butoxyethanol | EC 50 | > 100 | Not specified | Method not given | 168 |
| 2-aminoethanol | NOEC | 1 | Pseudokirchner iella subcapitata | OECD 201 | 72 |
| sodium cumenesulphonate | EC 50 | > 230 | Not specified | US-EPA 1994 | 96 |
| sodium hydroxide | EC 50 | 22 | Photobacteriu m phosphoreum | Method not given | 0.25 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|-------------------------|----------|----------------------|---------|--------|----------------------|
| 2-butoxyethanol | | No data available | | | - |
| 2-aminoethanol | | No data available | | | - |
| sodium cumenesulphonate | | No data available | | | - |
| sodium hydroxide | | No data available | | | - |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|-------------------------|----------|----------------------|---------------------|---|---------------|
| 2-butoxyethanol | EC o | 700 | Pseudomonas putida | Method not given | 16 hour(s) |
| 2-aminoethanol | EC 50 | > 1000 | Activated sludge | DIN EN ISO 8192-OECD 209-88/302/EEC | 3 hour(s) |
| sodium cumenesulphonate | Er C 50 | > 1000 | Bacteria | OECD 209 | 3 hour(s) |
| sodium hydroxide | | No data available | | | |

Aquatic long-term toxicity

| qualic long term toxicity high | | | | | _ | = |
|--------------------------------|----------|--------|---------|--------|----------|------------------|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
| | | (mg/l) | | | time | |

| 2-butoxyethanol | | No data available | | | | |
|-------------------------|------|----------------------|-----------------|----------|-----------|--|
| 2-aminoethanol | NOEC | 1.2 | Oryzias latipes | OECD 210 | 30 day(s) | |
| sodium cumenesulphonate | | No data available | | | | |
| sodium hydroxide | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|-------------------------|----------|----------------------|------------------|----------|---------------|------------------|
| 2-butoxyethanol | | No data available | | | | |
| 2-aminoethanol | NOEC | 0.85 | Daphnia magna | OECD 211 | 21 day(s) | |
| sodium cumenesulphonate | | No data available | | | | |
| sodium hydroxide | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|---------------------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | - | |
| sodium hydroxide | | No data available | | | - | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available

| refrestrial toxicity - soil invertebrates, including ear | triworms, ii avallabi | ie: | | | | |
|--|-----------------------|-----------|---------|--------|-------------|------------------|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
| • | | (mg/kg dw | | | time (days) | |
| | | soil) | | | (, | |
| 2-butoxyethanol | | No data | | | - | |
| | | available | | | | |
| 2-aminoethanol | | No data | | | - | |
| | | available | | | | |
| sodium cumenesulphonate | | No data | | | - | |
| | | available | | | | |
| sodium hydroxide | | No data | | | - | |
| | 1 | available | 1 | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data available | | | = | |
| 2-aminoethanol | | No data available | | | = | |
| sodium cumenesulphonate | | No data available | | | - | |
| sodium hydroxide | | No data available | | | - | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|----------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | - | |
| sodium hydroxide | | No data available | | | - | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | - | |
| sodium hydroxide | | No data aRaggebile0 / | 13 | | - | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|-------------------------|----------|-----------------------------|---------|--------|----------------------|------------------|
| 2-butoxyethanol | | No data available | | | - | |
| 2-aminoethanol | | No data available | | | - | |
| sodium cumenesulphonate | | No data available | | | - | |
| sodium hydroxide | | No data available | | | - | |

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

| tolotic degradation photodegradation in all, il available. | | | | | | | |
|--|----------------|------------------|-------------------------|--------|--|--|--|
| Ingredient(s) | Half-life time | Method | Evaluation | Remark | | | |
| sodium hydroxide | 13 second(s) | Method not given | Rapidly photodegradable | | | | |

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation
Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|-------------------------|----------|----------------------------|----------------------------|------------------|--------------------------------------|
| 2-butoxyethanol | | | 100 % in 28 day(s) | Method not given | Readily biodegradable |
| 2-aminoethanol | | DOC reduction | > 90 % in 21 day(s) | OECD 301A | Readily biodegradable |
| sodium cumenesulphonate | | CO ₂ production | 103 - 109% in 28 day(s) | OECD 301B | Readily biodegradable |
| sodium hydroxide | | | | | Not applicable (inorganic substance) |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|-------------------------|-------------------|------------------|--------------------------------------|--------|
| 2-butoxyethanol | 0.81 | OECD 107 | No bioaccumulation expected | |
| 2-aminoethanol | - 1.91 | OECD 107 | No bioaccumulation expected | |
| sodium cumenesulphonate | -1.1 | Method not given | No bioaccumulation expected | |
| sodium hydroxide | No data available | | Not relevant, does not bioaccumulate | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|-------------------------|-------------------|---------|--------|------------|--------|
| 2-butoxyethanol | No data available | | | | |
| 2-aminoethanol | No data available | | | | |
| sodium cumenesulphonate | No data available | | | | |
| sodium hydroxide | No data available | | | | |

12.4 Mobility in soil

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|-------------------------|--------------------------------|---|-------------------|-----------------------|--|
| 2-butoxyethanol | No data available | | | | Potential for mobility in soil, soluble in water |
| 2-aminoethanol | 0.067 | | Model calculation | | Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected |
| sodium cumenesulphonate | No data available | | | | |
| sodium hydroxide | No data available | | | | Mobile in soil |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unusedThe concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 15* - alkalines.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADR, RID, ADN, IMO/IMDG, ICAO/IATA

14.1 UN number: 1824

14.2 UN proper shipping name:

Sodium hydroxide solution

14.3 Transport hazard class(es):

Class: 8 Label(s): 8

14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5
Tunnel restriction code: E
Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants < 5%

perfumes

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1001580 **Version:** 01.0 **Revision:** 2015-05-29

Reason for revision:

Overall design adjusted in accordance with Amendment 453/2010, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the R, H and EUH phrases mentioned in section 3:

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- · H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- R20 Harmful by inhalation.
 R21 Harmful in contact with skin.
- R22 Harmful if swallowed.
- R34 Causes burns.
- R35 Causes severe burns.
- R36 Irritating to eyes.
- R37 Irritating to respiratory system.
- R38 Irritating to skin.

- Abbreviations and acronyms:
 AISE The international Association for Soaps, Detergents and Maintenance Products
 DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
 ATE Acute Toxicity Estimate

End of Safety Data Sheet