

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Carefree Speed Stripper

Revision: 2012-10-04 Version 03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Carefree Speed Stripper

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only

AISE-P404 - Floor stripper. Manual process

AISE-P405 - Floor stripper. Semi-automatic process

Uses advised against Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Ltd

Contact details

Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: MSDSinfoUK@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled in accordance with Directive 1999/45/EC and corresponding national legislation.

Indication of danger

C - Corrosive

Risk phrases:

R34 - Causes burns.

2.2 Label elements



C - Corrosive

Contains sodium hydroxide

Risk phrases:

R34 - Causes burns.

Safety phrases:

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28a - After contact with skin, wash immediately with plenty of water.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S51 - Use only in well-ventilated areas.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Classification (EC) 1272/2008	Notes	Weight percent
2-butoxyethanol	203-905-0	111-76-2	01-2119475108-36	Xn; R20/21/22-36/38	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		10-20
2-aminoethanol	205-483-3	141-43-5	01-2119486455-28	C; R20/21/22-34-37	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335)		3-10
sodium cumenesulphonate	248-983-7	28348-53-0	01-2119489411-37	Xi; R36	Eye Irrit. 2 (H319)		3-10
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	C; R35	Skin Corr. 1A (H314)		1-3

^{*} Polymer.

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16.

- Workplace exposure limit(s), if available, are listed in subsection 8.1.
 [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.
- [2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.
- [3] Exempted: Annex V of Regulation (EC) No 1907/2006.
- [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information If unconscious place in recovery position and seek medical advice. Remove from source of exposure. Get medical attention immediately. Inhalation

Skin contact Rinse with plenty of water. Take off all contaminated clothing immediately. Get medical attention. **Eve contact** Wash off immediately with plenty of water. Get medical attention immediately,

Ingestion Remove material from mouth. Immediately drink 1-2 glasses of water or milk. Get medical attention

immediately.

Consider personal protective equipment as indicated in subsection 8.2. Self-protection of first aider:

4.2 Most important symptoms and effects, both acute and delayed

Inhalation Severe irritant, may cause respiratory tract irritation.

Skin contact Causes burns.

Eye contact Causes severe or permanent damage.

Causes burns. Ingestion will lead to a strong caustic effect on mouth and throat and to the danger Ingestion

of perforation of oesophagus and stomach.

Sensitisation No known effects.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey. Use only in well-ventilated areas. For advice on general occupational hygiene see subsection 8.2. For environmental exposure controls see subsection 8.2. For incompatible materials see subsection 10.5.

Prevention of fire and explosion

No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms / facilities:

In accordance with local and national regulations.

Combined storage in storage rooms / facilities:

In accordance with local and national regulations. For incompatible materials see subsection 10.5.

Basic storage conditions

Store in original container. Keep container tightly closed. For conditions to avoid see subsection 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
2-butoxyethanol	25 ppm 123 mg/m³	50 ppm 246 mg/m³
2-aminoethanol	1 ppm 2.5 mg/m³	3 ppm 7.6 mg/m³
sodium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	No data available	13.4	No data available	3.2
2-aminoethanol	No data available	No data available	No data available	3.75
sodium cumenesulphonate	No data available	No data available	No data available	No data available
sodium hydroxide	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
2-butoxyethanol	No data available	89	No data available	75
2-aminoethanol	No data available	No data available	No data available	1
sodium cumenesulphonate	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
2-butoxyethanol	No data available	44.5	No data available	38
2-aminoethanol	No data available	No data available	No data available	0.24
sodium cumenesulphonate	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	No data available	No data available	No data available

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	246	663	No data available	98
2-aminoethanol	No data available	No data available	3.3	3.3
sodium cumenesulphonate	No data available	No data available	No data available	No data available
sodium hydroxide	No data available	No data available	1	No data available

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	123	426	No data available	49
2-aminoethanol	No data available	No data available	2	2
sodium cumenesulphonate	No data available	No data available	No data available	No data available
sodium hydroxide	No data available	No data available	1	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
2-butoxyethanol	8.8	0.88	9.1	463
2-aminoethanol	0.085	0.0085	No data available	100
sodium cumenesulphonate	No data available	No data available	No data available	No data available
sodium hydroxide	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
2-butoxyethanol	34.6	3.46	3.13	No data available
2-aminoethanol	0.425	No data available	0.035	0.025
sodium cumenesulphonate	No data available	No data available	No data available	No data available
sodium hydroxide	No data available	No data available	No data available	No data available

8.2 Exposure controls

General health and safety measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Take off immediately all contaminated clothing. Wash hands before breaks and at the end of workday. Use only in well-ventilated areas. Avoid contact with skin and eyes.

The following information applies for the uses indicated in subsection 1.2.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product. Avoid direct contact and/or splashes where possible. Train personnel. Appropriate organisational controls:

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166). Hand protection:

Chemical-resistant protective gloves (EN 374)

Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature

Suggested gloves for prolonged contact:

Material: butyl rubber Penetration time: >= 480 min Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur.

Respiratory protection: No special requirements under normal use conditions

Should not reach sewage water or drainage ditch undiluted or unneutralised. **Environmental exposure controls:**

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 25

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment.

Eye / face protection:No special requirements under normal use conditions. **Hand protection:**Chemical-resistant protective gloves (EN 374)

Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature

Suggested gloves for prolonged contact:

Material: butyl rubber
Penetration time: >= 480 min
Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen

Body protection:No special requirements under normal use conditions. **Respiratory protection:**No special requirements under normal use conditions

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State: Liquid

Colour Clear Pale Yellow Odour Slightly perfumed pH: > 12 (neat) Boiling point/range (°C): Not determined Flash point (°C): Not applicable. Flammability Not flammable. Specific gravity: 1.04 g/cm3 (20°C) Solubility in / Miscibility with Water: Fully miscible **Explosive properties** Not explosive. **Oxidising properties:** Not oxidising.

9.2 Other information

No other relevant information available

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixtures

No test data is available on the mixture

Substance data, where relevant and available, are listed below.

Acute toxicity
Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD ₅₀	200 - 2000	Rat	Method not given	
2-aminoethanol	LD ₅₀	1515	Rat	OECD 401 (EU B.1)	
sodium cumenesulphonate	LD ₅₀	> 7000	Rat	Method not given	
sodium hydroxide	LD ₅₀	1350	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD ₅₀	400 - 2000	Rat	Method not given	
2-aminoethanol	LD ₅₀	2504	Rabbit	OECD 402 (EU B.3)	
sodium cumenesulphonate	LD ₅₀	> 2000	Rabbit	Method not given	
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC	20	Rat	Method not given	4
2-aminoethanol	LC ₅₀	> 1.3	Rat	Method not given	
sodium cumenesulphonate	LC	> 770	Rat	Method not given	4
sodium hydroxide	LC	4800	Mouse	Method not given	1

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	No data available			
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant		Method not given	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	No data available			
sodium cumenesulphonate	No data available			
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium hydroxide	Not sensitising		Human repeated patch	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	No data available			
sodium cumenesulphonate	No data available			

sodium hydroxide	I No data available I	
oodidiii iiyaloxido	140 data dvallable	

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate	NOAEL	763 - 3534		OECD 408 (EU B.26)	90	
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate	NOAEL	440	Mouse	Method not given	90	
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
sodium cumenesulphonate		No data available				
sodium hydroxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-butoxyethanol			No data available					
2-aminoethanol			No data available					
sodium cumenesulphonate	Dermal	NOAEL	727	Mouse	Method not given	24 month(s)		
sodium hydroxide			No data available			·		

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mixture data:

Based on available data, the classification criteria are not met.

Substance data, where relevant and available

Carcinogenicity

Ouromogornoity	
Ingredient(s)	Effect
2-butoxyethanol	No data available
2-aminoethanol	No data available
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-butoxyethanol	No data available		No data available	
2-aminoethanol	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	
sodium cumenesulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
2-aminoethanol		Impaired fertility	No data available		Not known		No effects on fertility Indications of possible teratogenicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 3000	Rat	Non guideline test		
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

Mixtures

No test data is available on the mixture.

Substance data, where relevant and available, are listed below

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC	> 100	Fish	Method not given	96
2-aminoethanol	LC 50	349	Cyprinus carpio	(EC) 440/2008, C.1	96
sodium cumenesulphonate	LC	> 1000	Fish	EPA-OPPTS	96
sodium hydroxide	LC ₅₀	35	Various species	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC ₅₀	> 100	Daphnia magna Straus	Method not given	24
2-aminoethanol	EC ₅₀	65	Daphnia magna Straus	OECD 202, static	48
sodium cumenesulphonate	EC _E	> 1000	Daphnia	EPA-OPPTS	48
sodium hydroxide	EC 50	40.4	Ceriodaphnia	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC _E	> 100	Not specified	Method not given	168
2-aminoethanol	EC ₅₀	2.5	Pseudokirchner iella subcapitata	OECD 201	72
sodium cumenesulphonate	E _r C ₅₀	310	Not specified		72
sodium hydroxide	EC ₅₀	22	Photobacteriu m phosphoreum	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-butoxyethanol		No data available			
2-aminoethanol		No data available			
sodium cumenesulphonate		No data available			
sodium hydroxide		No data			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC _o	700	Pseudomonas putida	Method not given	16 hour(s)
2-aminoethanol	EC ₅₀	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium cumenesulphonate	E _C	> 1000	Bacteria	OECD 209	3 hour(s)

sodium hydroxide	No data		
	available		

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol		No data available				
2-aminoethanol	NOEC	1.2	Oryzias latipes	Method not given	30 day(s)	
sodium cumenesulphonate		No data available				
sodium hydroxide		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol		No data available				
2-aminoethanol	NOEC	0.85	Daphnia magna	OECD 211	21 day(s)	
sodium cumenesulphonate		No data available				
sodium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

 Abiotic degradation - priotodegradation in air, ii available:							
Ingredient(s)	Half-life time	Method	Evaluation	Remark			
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable				

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
2-butoxyethanol			100% in 28 day(s)	Method not given	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
sodium cumenesulphonate					Not readily biodegradable.
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	No bioaccumulation expected	
2-aminoethanol	No data available			

sodium cumenesulphonate	-1.1	Method not given	Low potential for bioaccumulation	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
2-aminoethanol	No data available				
sodium cumenesulphonate	No data available				
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				High potential for mobility in soil
2-aminoethanol	No data available				Adsorption to solid soil phase is not expected
sodium cumenesulphonate	No data available				
sodium hydroxide	No data available				Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products Dispose of in compliance with all Federal, state, provincial, and local laws and regulations.

European Waste Catalogue: 20 01 15* - alkalines.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADR, RID, ADN, IMO/IMDG, ICAO/IATA

14.1 UN number: 1824

14.2 UN proper shipping name:

Sodium hydroxide solution

14.3 Transport hazard class(es):

Class:8

Label(s):8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous:No

Marine pollutant No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification Code C5

Tunnel restriction code E

Hazard identification number: 80

IMO/IMDG

EmS F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants < 5% perfumes

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Revision: 2012-10-04 MSDS code: MSDS6607 Version 03

Reason for revision:

Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II

Full text of the R, H and EUH phrases mentioned in section 3

- R34 Causes burns.
- R37 Irritating to respiratory system.
- R36 Irritating to eyes.
- R35 Causes severe burns.
- R36/38 Irritating to eyes and skin.
 R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- · H319 Causes serious eye irritation.
- · H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet