SAFETY DATA SHEET BACTERICIDAL NEUTRAL DETERGENT

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	BACTERICIDAL NEUTRAL DETERGENT	
1.2. Relevant identified use	es of the substance or mixture and uses advised against	
Identified uses	Detergent. For professional use only.	
Uses advised against	Not for direct contact with Food or Beverage stuffs. Not for oral consumption.	
1.3. Details of the supplier of the safety data sheet		
Supplier	MERLIN CHEMICALS Unit 5, Passfield Mill Business Park, Liphook, Hants, GU30 7RR +44 (0) 1428 751122 +44 (0) 1428 751133 technical@merlinchemicals.co.uk	
1.4. Emergency telephone number		
Emergency telephone	Out of Office Hours Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice call:- +44(0) 7050 265597. Note:- This number will not accept order queries or calls dealing with equipment breakdowns. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599.	
SECTION 2: Hazards identification		
2.1. Classification of the su	bstance or mixture	

2.1. Classification of the substance or mixture	
Classification	
Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

2.2. Label elements

Pictogram



Signal word

72

Danger

Hazard statements

H318 Causes serious eye damage. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/attention. P404 Store in a closed container. P501 Dispose of contents/container in accordance with national regulations.
Contains	SODIUM ALKYL ETHER SULPHATE, AMIDES, C8-C18(EVEN NUMBERED) AND C18(UNSATD.), N,N-BIS(HYDROXYETHYL), Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine, 1-PROPANAMINIUM, 3-AMINO-N- (CARBOXYMETHYL)-N,N-DIMETHYL-, N-C8-18 (EVEN NUMBERED) ACYL DERIVS., HYDROXIDES, INNER SALTS
Detergent labelling	5 - < 15% anionic surfactants,< 5% amphoteric surfactants,< 5% non-ionic surfactants,Contains 1,3-Bis(hydroxymethyl)-5,5-dimethylimidazoline-2,4-dione

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures SODIUM ALKYL ETHER SULPHATE 1-5% CAS number: 68891-38-3 EC number: 500-234-8 **REACH** registration number: 01-2119488639-16 Classification Classification (67/548/EEC or 1999/45/EC) Skin Irrit. 2 - H315 Xi; R38, R41 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412 AMIDES, C8-C18(EVEN NUMBERED) AND C18(UNSATD.), 1-5% N,N-BIS(HYDROXYETHYL) CAS number: 68155-07-7 EC number: 931-329-6 **REACH** registration number: 01-2119490100-53-0000 Classification Classification (67/548/EEC or 1999/45/EC) Skin Irrit. 2 - H315 Xi; R41, R38. N; R51/53 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411 Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. 1-5% with triethanolamine CAS number: 121617-08-1 EC number: 939-464-2 REACH registration number: 01-2119971970-28-0000 Classification Classification (67/548/EEC or 1999/45/EC) Skin Irrit. 2 - H315 Xi; R41, R38 Eye Dam. 1 - H318

1-PROPANAMINIUM, 3-AM N,N-DIMETHYL-, N-C8-18 (DERIVS., HYDROXIDES, IN	· ·		1-5%
CAS number: —	EC number: 931-29	6-8 REACH registration number: 01- 2119488533-30-0000	
Classification		Classification (67/548/EEC or 1999/45/EC)	
Eye Dam. 1 - H318		Xi; R41. R52/53	
Aquatic Chronic 3 - H412			
ETHANOL			<1%
CAS number: 64-17-5	EC number: 200-57	3-6	
Classification		Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225		F;R11.	
TRICLOSAN			<1%
CAS number: 3380-34-5	EC number: 222-18		
M factor (Acute) = 100	M factor (Chronic) =	1	
Classification		Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315		Xi;R36/38 N;R50/53	
Eye Irrit. 2 - H319			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			
METHANOL			<1%
CAS number: 67-56-1	EC number: 200-65	9-6	
Classification		Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225		F;R11 T;R23/24/25,R39/23/24/25	
Acute Tox. 3 - H301		· , · · · , · _ · _ · _ · _ · _ · _ · _	
Acute Tox. 3 - H311			
Acute Tox. 3 - H331			
STOT SE 1 - H370			
The Full Text for all R-Phrase	es and Hazard Statements are Dis	played in Section 16.	
Composition comments	To the best of our knowledge, a	all of the substances used in this product are being suppo	orted
	for the relevent application in R	EACH.	
SECTION 4: First aid measure	res		
4.1. Description of first aid me	easures		
General information	In case of accident or if you fee where possible).	I unwell, seek medical advice immediately (show the labe	el
Inhalation	Move affected person to fresh a	air. Get medical attention if any discomfort continues.	
Ingestion	Do not induce vomiting. Rinse	mouth thoroughly with water. Get medical attention	

immediately. Show this Safety Data Sheet to the medical personnel.

SECTION 5: Firefighting measures		
4.3. Indication of any immediate medical attention and special treatment needed		
Eye contact	Risk of serious damage to eyes. May result in permanent eye damage.	
Skin contact	There may be mild irritation at the site of contact. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.	
Ingestion	Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur. If dilute chemical is ingested some soreness of the mouth, throat and GI tract may occur.	
Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose.	
General information	Neat product will cause skin irritation and potentially permanent eye damage. Dilute product will result in less severe damage to the eyes, but contact should be treated as per neat chemical.	
4.2. Most important symptoms	s and effects, both acute and delayed	
Eye contact	Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention.	
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.	

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	The product is non-combustible. On heating irritating fumes may be formed.
5.3. Advice for firefighters	
Protective actions during firefighting	Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adequate ventilation of the working area.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning upStop leak if safe to do so. Contain and absorb spillage with sand, earth or other non-
combustible material. Collect and place in suitable labelled containers and seal securely. For
waste disposal, see Section 13.
- 6.4. Reference to other sections

Reference to other sections See sections 8,12 & 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling		
Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin and eyes. Ensure adequate ventilation of the working area.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store below 40°C.	
7.3. Specific end use(s)		
Specific end use(s)	Detergent, refer to Product Information Sheet for full details.	
Usage description	This product is suitable for use in food preparation areas, but is not designed for direct food contact.	

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³ vapour

METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm(Sk) 266 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 250 ppm(Sk) 333 mg/m3(Sk)

WEL = Workplace Exposure Limit

Ingredient comments

Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.

The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.

If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.

The WEL limits are laid down in the EH40 list as supplied by the HSE. This is taken from the Chemical Agents Directive (98/24/EC). Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

SODIUM ALKYL ETHER SULPHATE (CAS: 68891-38-3)

DNEL	Professional - Dermal; Long term systemic effects: 2750 mg/kg/day Professional - Inhalation; Long term systemic effects: 175 mg/m ³ General population - Oral; Long term systemic effects: 15 mg/kg/day General population - Dermal; Long term systemic effects: 1650 mg/kg/day General population - Inhalation; Long term systemic effects: 52 mg/m ³		
PNEC	 Fresh water; 0.24 mg/l Marine water; 0.024 mg/l Intermittent release; 0.071 mg/l Sediment (Freshwater); 5.45 mg/kg Sediment (Marinewater); 0.545 mg/kg Soil; 0.946 mg/kg STP; 10 g/l 		
AMIDES, C8-C18(EVEN	NUMBERED) AND C18(UNSATD.), N,N-BIS(HYDROXYETHYL) (CAS: 68155-07-7)		
DNEL	Industry - Dermal; Long term systemic effects: 4.16 mg/kg/day Industry - Inhalation; Long term systemic effects: 73.4 mg/m ³ Consumer - Dermal; Long term systemic effects: 2.5 mg/kg/day Consumer - Inhalation; Long term systemic effects: 21.73 mg/m ³ Consumer - Oral; Long term systemic effects: 6.25 mg/kg/day		
PNEC	 Fresh water; 0.007 mg/l Marine water; 0.0007 mg/l Intermittent release; 0.0024 mg/l STP; 830 mg/l Soil; 0.0189 mg/l Sediment; 0.0424 mg/kg 		
ETHANOL (CAS: 64-17-5)			
DNEL	Workers - Inhalation; Short term local effects: 1900 mg/m ³ Workers - Dermal; Long term : 343 mg/kg Workers - Inhalation; Long term : 950 mg/m ³ Consumer - Inhalation; Short term local effects: 950 mg/m ³ Consumer - Dermal; Long term : 206 mg/kg Consumer - Inhalation; Long term : 114 mg/m ³ Consumer - Oral; Long term : 87 mg/kg		
PNEC	- Fresh water; 0.96 mg/l - Marine water; 0.79 mg/l - Sediment (Freshwater); 3.6 mg/kg - Soil; 0.63 mg/kg		

METHANOL (CAS: 67-56-1)

DNEL	Workers - Dermal; Short term : 40 mg/kg Workers - Inhalation; Short term : 260 mg/m ³ Workers - Dermal; Long term : 40 mg/kg Workers - Inhalation; Long term : 260 mg/m ³ Consumer - Dermal; Short term : 8 mg/kg Consumer - Inhalation; Short term : 50 mg/m ³ Consumer - Oral; Short term : 8 mg/kg Consumer - Dermal; Long term : 8 mg/kg Consumer - Inhalation; Long term : 50 mg/m ³ Consumer - Oral; Long term : 8 mg/kg
PNEC	- Fresh water; 154 mg/l - Marine water; 15.4 mg/l - Sediment (Freshwater); 570.4 mg/kg - Soil; 23.5 mg/kg
8.2. Exposure controls Protective equipment	
Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Personal protection	The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.
Eye/face protection	The following protection should be worn: Chemical splash goggles. Refer to EN Standard 166 to select appropriate level of protection.
Hand protection	Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). Refer to Standard EN 374.
Other skin and body protection	Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.
Hygiene measures	Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Wash contaminated clothing before reuse. Provide eyewash station and safety shower.
Respiratory protection	No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit.
Environmental exposure controls	Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.
General Health and Safety Measures.	The above requirements refer to the neat chemical. In-use solutions may have a lower classification, however, a full risk assessment should be carried out before handling any chemical(s). Risk assessments should refer to COSHH and any other relevant legislation or industry specific guidelines governing the use of chemicals.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Green.
Odour	Detergent.
Odour threshold	Not applicable.
рН	pH (concentrated solution): 6 - 8
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not applicable. Contains no Flammable Components
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.01 - 1.05 @ 20°C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable. Not technically practical for mixtures.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable. Contains no Oxidising Components.
9.2. Other information	
Refractive index	Not applicable.
Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility	Not applicable.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	Not applicable.
Explosive Properties	Not Classified as Explosive

Storage Temperature Range 0 - 40°C

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended See note 10.6.	
10.3. Possibility of hazardous r	eactions	
Possibility of hazardous reactions	Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a dangerous heating of the solution.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time.	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Bleach.	
10.6. Hazardous decomposition	n products	
Hazardous decomposition products	Does not decompose when used and stored as recommended See section 10.5.	
SECTION 11: Toxicological info	ormation	
11.1. Information on toxicologic	cal effects	
General information	See section 4.2.	
Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose See section 4.2.	
Ingestion	May cause irritation to mouth, throat and GI tract.	
Skin contact	There may be mild irritation at the site of contact.	
Eye contact	Risk of serious damage to eyes. May cause permanent eye injury.	
SECTION 12: Ecological Inform	nation	
Ecotoxicity	Very toxic to aquatic life with long lasting effects. Dilute use solutions are unlikely to pose a risk to the environment.	
12.1. Toxicity		
12.2. Persistence and degrada	bility	
Persistence and degradability	The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.	
12.3. Bioaccumulative potentia	<u> </u>	
Bioaccumulative potential	Not expected to bioaccumulate.	
Partition coefficient	Not applicable. Not technically practical for mixtures.	
12.4. Mobility in soil		
Mobility	The product contains substances which are water soluble and may spread in water systems.	

BACTERICIDAL NEUTRAL DETERGENT 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment 12.6. Other adverse effects Not determined. Other adverse effects SECTION 13: Disposal considerations 13.1. Waste treatment methods General information When handling waste, the safety precautions applying to handling of the product should be considered. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Do not mix with other chemicals. **Disposal methods** Small volumes of use solution can be disposed of to sewers. Dispose of waste product or used containers in accordance with local regulations SECTION 14: Transport information 14.1. UN number UN No. (ADR/RID) 3082 UN No. (IMDG) 3082 UN No. (ICAO) 3082 3082 UN No. (ADN) 14.2. UN proper shipping name Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS (ADR/RID) TRICLOSAN) Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS (IMDG) TRICLOSAN) Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TRICLOSAN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Proper shipping name (ADN) TRICLOSAN) 14.3. Transport hazard class(es) ADR/RID class 9 ADR/RID classification code M6 ADR/RID label g IMDG class 9

ICAO class/division ADN class 9

9

Transport labels

14.4. Packing group

ADR/RID packing group	Ш
IMDG packing group	Ш
ADN packing group	Ш
ICAO packing group	Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-A, S-F
ADR transport category	3
Emergency Action Code	•3Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 EU legislation
 European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of
Substances and Mixtures.
This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous
Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and
Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC)
No.1907/2006.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms	(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of
used in the safety data sheet	Substances and Mixtures.
	NPIS - National Poisons Information Service.
	vPvB - Very Persistent, Very bioaccumulative.
	PBT - Persistent, Bioaccumulative & Toxic.
	REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC
	1907/2006).
	DNEL - Derived No Effect Limit.
	PNEC - Predicted No Effect Concentration.
	COSHH - Control of Substances Hazardous to Health.
	Industry - Refers in section 8 to application of the substance in an industrial process.
	Professional - Refers in section 8 to application/use of the preparation/product in a skilled
	trade premises.

General information	This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
Revision comments	Review in line with CLP Regulation.
Revision date	01/05/2015
SDS number	22758
Hazard statements in full	 H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H370 Causes damage to organs . H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
REACH extended MSDS comments	REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevent information is incorporated into the safety data sheet.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.