

SAFETY DATA SHEET

Fabric Conditioner

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Fabric Conditioner

Product no.: 13606

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or None known.

mixture: Restricted to professional users.

Use descriptors (UK REACH): Product category De

Product category	Description
	Washing and Cleaning Products (including solvent based products)

Uses advised against: Uses other than those identified are not

recommended

1.3. Details of the supplier of the safety data sheet

Company and address: JMS Janitorial Supplies

Unit 8, Astra Business Supplies

RH1 5TL Salfords

Surrey

01293783650

sales@jmsdirect.co.uk

Contact person: Sales

E-mail: sales@jmsdirect.co.uk

Revision: 20/08/2025

SDS Version: 3.0

Date of previous version: 19/03/2024 (2.0)

1.4. ▼ Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information

Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 111 to reach NHS 24 (24 hour service)



Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service) See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. ▼ Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

▼ Hazard pictogram(s): Not applicable.▼ Signal word: Not applicable.▼ Hazard statement(s): Not applicable.

Precautionary statement(s):

▼ General:Not applicable.▼ Prevention:Not applicable.▼ Response:Not applicable.▼ Storage:Not applicable.▼ Disposal:Not applicable.

▼ Hazardous substances:
Does not contain any substances required

to report

▼ Additional labelling: EUH208, Contains

Methylchloroisothiazolinone,

Methylisothiazolinone. May produce an

allergic reaction.

EUH210, Safety data sheet available on

request.

▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law: < 5%

- · Cationic surfactants
- · Perfumes (HEXYL CINNAMAL)
- · Perfumes (LINALOOL)
- · Perfumes (BENZYL ALCOHOL)
- · Preservation agent

(Methylchloroisothiazolinone &

Methylisothiazolinone)

· Preservation agent (BENZYL ALCOHOL)

2.3. Other hazards

▼ *Additional warnings*: This mixture/product does not contain any

substances known to fulfil the criteria for

PBT and vPvB classification.



This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Reaction products of C18 (unsaturated) fatty acids and dimethyl sulfate and triethanolamine	CAS No.: 1335202-95-3 EC No.: 931-216-1 UK-REACH: Index No.:	3-5%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	
α-hexylcinnamaldehyde	CAS No.: 101-86-0 EC No.: 202-983-3 UK-REACH: Index No.:	<0.05%	Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	[9]
licareol; (R)-3,7-dimethyl- 1,6-octadien-3-ol; l- linalool;coriandrol; (S)-3,7-dimethyl-1,6- octadien-3-ol; d- linalool;linalool; 3,7- dimethyl-1,6-octadien-3- ol; dl-linalool	CAS No.: 78-70-6 EC No.: 201-134-4 UK-REACH: Index No.: 603-235-00-2	<0.05%	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	[9]
Methylchloroisothiazolin one, Methylisothiazolinone	CAS No.: 55965-84-9 EC No.: 611-341-5 UK-REACH: Index No.: 613-167-00-5	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 1, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 (SCL: 0.60 %) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	
benzyl alcohol	CAS No.: 100-51-6 EC No.: 202-859-9 UK-REACH: Index No.: 603-057-00-5	<0.0001%	Acute Tox. 4, H302 Acute Tox. 4, H332	



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

▼ Other information

[9] Identified by EU as a fragrance ingredients, known to cause allergic contact dermatitis (Regulation (EC) No 1223/2009 on cosmetic products)

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or

casualty department – take the label or this

safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

▼ *Inhalation*: In case of discomfort: bring the person into

fresh air.

▼ Skin contact: IF ON SKIN: Wash with plenty of

water/water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents

or thinners.

If skin irritation occurs: Get medical

advice/attention.

▼ *Eye contact:* Rinse gently with lukewarm water. Remove

any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.

▼ Ingestion: Rinse and flush mouth thoroughly and

consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.

Burns: Not applicable.

4.2. ▼ Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.



4.3. ▼ Indication of any immediate medical attention and special treatment needed Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. ▼ Advice for firefighters

No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.



See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

Recommended storage material: Keep only in original packaging.

Storage conditions: Dry, cool and well ventilated

Incompatible materials: Strong acids, strong bases, strong oxidizing

agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

propan-2-ol;isopropyl alcohol;isopropanol Long term exposure limit (8 hours) (ppm): 400 Long term exposure limit (8 hours) (mg/m³): 999 Short term exposure limit (15 minutes) (ppm): 500 Short term exposure limit (15 minutes) (mg/m³): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNEL

benzyl alcohol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	4 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	8 mg/kg bw/day
Short term – Systemic effects - General population	Dermal	20 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	40 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	5.4 mg/m ³
Long term – Systemic effects - Workers	Inhalation	22 mg/m³
Short term – Systemic effects - General population	Inhalation	27 mg/m³
Short term – Systemic effects - Workers	Inhalation	110 mg/m³
Long term – Systemic effects - General population	Oral	4 mg/kg bw/day
Short term – Systemic effects - General population	Oral	20 mg/kg bw/day

licareol; (R)-3,7-dimethyl-1,6-octadien-3-ol; l-linalool;coriandrol; (S)-3,7-dimethyl-1,6-octadien-3-ol; d-linalool;linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool

Duration:	Route of exposure:	DNEL:	
Long term – Local effects - General population	Dermal	1.5 mg/cm ²	
Long term – Local effects - Workers	Dermal	3 mg/cm ²	
Long term – Systemic effects - General population	Dermal	1.25 mg/kg bw/day	
Long term – Systemic effects - Workers	Dermal	3.5 mg/kg bw/day	
Short term – Local effects - General population	Dermal	1.5 mg/cm ²	
Short term – Local effects - Workers	Dermal	3 mg/cm ²	
Long term – Systemic effects - General population	Inhalation	4.33 mg/m ³	
Long term – Systemic effects - Workers	Inhalation	24.58 mg/m ³	
Long term – Systemic effects - General population	Oral	2.49 mg/kg bw/day	

Methylchloroisothiazolinone, Methylisothiazolinone

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	20 μg/m³
Long term – Local effects - Workers	Inhalation 20 µg/m³	
Short term – Local effects - General population	Inhalation	40 μg/m³
Short term – Local effects - Workers	Inhalation	40 μg/m³
Long term – Systemic effects - General population	Oral	90 μg/kg bw/day
Short term – Systemic effects - General population	Oral	110 μg/kg bw/day

propan-2-ol;isopropyl alcohol;isopropanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m ³
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Short term – Systemic effects - Workers	Inhalation	1000 mg/m³
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day

▼ PNEC

benzyl alcohol

Route of exposure:	Duration of Exposure:	PNEC:	
Freshwater		1-1.02 mg/L	
Freshwater sediment		5.27 mg/kg	



Intermittent release (freshwater)	2.3 mg/L
Marine water	100-102 μg/L
Marine water sediment	527 μg/kg
Sewage treatment plant	39 mg/L
Soil	456 μg/kg

licareol; (R)-3,7-dimethyl-1,6-octadien-3-ol; l-linalool;coriandrol; (S)-3,7-dimethyl-1,6-octadien-3-ol; d-linalool;linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		200 μg/L
Freshwater sediment		2.22 mg/kg
Intermittent release (freshwater)		2 mg/L
Marine water		20 μg/L
Marine water sediment		222 μg/kg
Predators		7.8 mg/kg
Sewage treatment plant		10 mg/L
Soil		327 μg/kg

Methylchloroisothiazolinone, Methylisothiazolinone

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.39 µg/L
Freshwater sediment		27 μg/kg
Intermittent release (freshwater)		3.39 µg/L
Intermittent release (marine water)		3.39 µg/L
Marine water		3.39 µg/L
Marine water sediment		27 μg/kg
Sewage treatment plant		230 μg/L
Soil		10 μg/kg

propan-2-ol;isopropyl alcohol;isopropanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release (freshwater)		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Predators		160 mg/kg
Sewage treatment plant		2.251 g/L



				1		ı	
	Soil			<u> </u>		28 mg	/kg
8.2.	▼ Exposure cont Compliance with t regular basis.	t rols the given occupation	onal exposi	ure limits v	alues should	be cor	ntrolled on a
	General recommen	dations:		Smoking, drinking and consumption of food is not allowed in the work area.			
	Exposure scenarios: Exposure limits: Appropriate technical measures:				e no exposure nted for this p		
				Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above. The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.			
	Measures to avoid environmental exposure:			No specific requirements.			
Indiv	idual protection	measures, such a	as persona	al protect	ive equipme	nt	
	Generally:			Use only equipme	UKCA marked nt.	prote	ctive
	▼ Respiratory Equi	pment:					
	Туре	Class	Colour		Standards		
	No special when used as intended.						
	▼ Skin protection:	▼ Skin protection:					
	Recommended	Type/Category		Standards			
	No special when used as intended.	-		-			
	▼ Hand protection:	:		•			-
	Material	Glove thickness (mm)			Standards		
	▼ Eye protection:						



Туре	Standards	
No special when	-	
used as intended.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: Pink

Odour / Odour threshold:PleasantpH:2.5-3.5 \checkmark Density (g/cm^3) :1.005

▼ *Kinematic viscosity:* No data available.

Particle characteristics: Does not apply to liquids.

Phase changes

▼ *Melting point/Freezing point (°C):* No data available.

Softening point/range (°C): Does not apply to liquids.

▼ Boiling point (°C): No data available.
▼ Vapour pressure: No data available.
▼ Relative vapour density: No data available.
▼ Decomposition temperature (°C): No data available.

Data on fire and explosion hazards

▼ Flash point (°C): No data available.
▼ Flammability (°C): No data available.
▼ Auto-ignition temperature (°C): No data available.
▼ Lower and upper explosion limit (% v/v): No data available.

Solubility

Solubility in water: Very soluble

▼ *n-octanol/water coefficient (LogKow):* No data available. ▼ *Solubility in fat (g/L):* No data available.

9.2. Other information

▼ Oxidizing properties: No data available.Other physical and chemical parameters: No data available.

SECTION 10: STABILITY AND REACTIVITY



10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. ▼ Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

▼ Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

▼ Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure



Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

▼ Long term effects

None known.

▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

propan-2-ol;isopropyl alcohol;isopropanol has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼ Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrinedisrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS



▼ Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

▼ EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

			14.3 Hazard class(es)		Env**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

Demands for specific education:

No specific requirements.

Control of Major Accident Hazards (COMAH) -

Categories / dangerous substances:

UK-REACH, Annex XVII: propan-2-ol;isopropyl alcohol;isopropanol is

< 5%

Not applicable.

subject to UK-REACH restrictions (entry 40).

▼ Labelling of contents according to Detergents

Regulation (EC) No 648/2004 as retained and · Cationic surfactants

^{**} Environmental hazards



amended in UK law:

- · Perfumes (HEXYL CINNAMAL)
- · Perfumes (LINALOOL)
- · Perfumes (BENZYL ALCOHOL)
- Preservation agent (Methylchloroisothiazolinone & Methylisothiazolinone)
- · Preservation agent (BENZYL ALCOHOL)

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18

December 2014 on waste as retained and

amended in UK law.

Regulation (EC) No 1272/2008 on

classification, labelling and packaging of substances and mixtures (CLP) as retained

and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

Additional information:

▼ Sources:

15.2. Chemical safety assessment

Nο

SECTION 16: OTHER INFORMATION

▼ Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.

H302, Harmful if swallowed.

H310, Fatal in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.



H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H332, Harmful if inhaled.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

PC 35 = Washing and Cleaning Products (including solvent based products)

▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit



SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

▼ Additional information

Not applicable.

The safety data sheet is validated by

Anglian Chemicals

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en